



PROLINE[®] MASTER SERIES



FROM THE LEADERS IN COMMERCIAL
WATER HEATING, WE BRING YOU:

**COMMERCIAL-GRADE GAS & ELECTRIC
WATER HEATERS FOR THE HOME**

PROLINE® MASTER GAS WATER HEATERS

8-YEAR WARRANTY • COMMERCIAL - GRADE COMPONENTS

The ProLine Master family of gas water heaters offers a wide range of water heating solutions, all with a commercial-grade, wholesale-focused design. All State products use Coregard™ stainless steel core anode rods, but the ProLine Master Series has increased anode protection with either larger or multiple anodes depending on model. Ultra-low NOx units are available where required.



Model Number	Nominal Capacity	First Hour Rating (Gallons)	UEF	BTU Input Natural Gas	BTU Input Propane Gas	Recovery 90°F Rise Gallon Per Hour	Dimensions in Inches			Approx. Shipping Weight (lbs)
							Height	Height to T&P	Diameter	
Tall Models										
GW8 40 BCT	40	80	0.66	40,000	36,000	42	61-3/4	52	20	138
GW8 50 BRT	50	81	0.62	40,000	37,000	41	60-3/4	50-1/2	21	148
GW8 50 BCT	50	84	0.62	40,000	37,000	43	60-3/4	50-1/2	22	165
GW8 50 RCT	50	89	0.61	50,000	45,000	54	60-3/4	50-1/2	22	165
GW8 55 XCT	55	83	0.62	60,000	54,000	65	59-3/4	48	24	185
Short Models										
GW8 40 BCS	40	67	0.59	40,000	36,000	41	51-1/2	41-1/4	22	135
GW8 50 BCS	50	81	0.62	40,000	40,000	43	53-1/4	41-3/8	24	177
Ultra-Low Nox Tall Models										
GW8 40 BRUT	40	72	0.55	40,000	N/A	41	62	52	18	125
GW8 40 BCUT	40	81	0.64	40,000	N/A	41	62	52	20	125
GW8 50 BRUT	50	84	0.61	40,000	N/A	42	60-3/4	50-1/2	20	148
GW8 50 BCUT	50	84	0.64	40,000	N/A	42	60-3/4	50-1/2	22	148
GW8 50 RCUTL	50	91	0.60	50,000	N/A	51	61	50-1/2	22	177
Ultra-Low Nox Short Models										
GW8 40 BCUS	40	72	0.57	40,000	N/A	41	51-1/2	41-1/4	22	138

PROLINE® MASTER ELECTRIC WATER HEATERS

8-YEAR WARRANTY • COMMERCIAL-GRADE COMPONENTS




The ProLine Master family of electric water heaters offers a wide range of water heating solutions, all with a commercial-grade, wholesale-focused design. Like the gas models, ProLine Master products have increased anode protection with either larger or multiple Coregard™ stainless steel core anodes depending on model. ProLine Master products are also outfitted with longer lasting, stainless steel upper and lower elements that are modeled after those used in our industry leading commercial line.

Model Number	Nominal Capacity	First Hour Rating (Gallons)	UEF	Recovery @ 90°F Rise Gallon Per Hour	Element Wattage 240V		Dimensions in Inches			Approx. Shipping Weight (lbs)
					Standard	Maximum	Height	Height to T&P	Diameter	
Tall Models										
EN8 40 DORT	40	53	0.92	21	4500	6000	61-1/4	53-1/4	18	118
EN8 50 DORT	50	62	0.92	21	4500	6000	60-1/2	51-1/4	20-1/2	125
EN8 50 DORTW	50	45	0.88	11	-	2500	60-1/2	51-1/4	20-1/2	125
EN8 55 DORT	55	72	0.93	21	4500	6000	56-1/2	48-1/2	24	145
Short Models										
EN8 40 DORS	40	55	0.92	21	4500	6000	50	40-3/4	20-1/2	109
EN8 40 DORSW	40	41	0.88	18	-	4000	50	40-3/4	20-1/2	109
EN8 50 DORS	50	57	0.92	21	4500	6000	49-3/4	40-3/8	23	161

COMMERCIAL-GRADE PROLINE MASTER WATER HEATERS FEATURE:

- An 8-year warranty that is exclusive to the wholesale channel
- Larger commercial-grade stainless steel core anode rods that provide exceptional tank protection
- Longer-lasting commercial grade stainless steel upper and lower elements





UPGRADE YOUR BUSINESS TO COMMERCIAL-GRADE

At State, we're continuously working to elevate and improve our vast line of commercial-grade water heaters. Introducing the ProLine® Master Series. Available exclusively to professional plumbing contractors, this new family of residential gas and electric water heaters is designed to provide you with a competitive advantage.

PROLINE MASTER MODELS OFFER AN 8-YEAR WARRANTY AND INCLUDE COMMERCIAL-GRADE COMPONENT UPGRADES NOT AVAILABLE ON OTHER STANDARD RESIDENTIAL PRODUCTS.

By combining the high end features and warranty protection consumers are looking for with a competitive price that positions our partners to outsell the competition, we've created a unique win-win situation. Why let your customers settle for anything less than commercial grade?

